

Preliminary Amendment
Filed: September 29, 2004
Sughrue Ref: Q83885

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

Claim 1 (original):. The use of a variable reflective material (VAREM) in a device (1, 9, 10) for converting solar energy into thermal energy and possibly electric energy, wherein a layer of VAREM material (4) is present between a sunlight-transmitting plate (2, 11) and a carrier plate (5, 7).

Claim 2 (original):. The use according to claim 1, characterized in that the device comprises a sunlight-transmitting plate (2) and a heat-conducting substrate (5), which is spaced therefrom by some distance, as the carrier plate, in which substrate (5) one or more channels (6) are formed, in which channels (6) a heat transferring medium is present, with the VAREM layer (4) being present between the sunlight-transmitting plate (2) and the substrate (5).

Claim 3 (original): The use according to claim 2, characterized in that the VAREM layer (4) abuts against the substrate (5).

Claim 4 (currently amended): The use according to ~~claims 2—3~~ claim 2, characterized in that a layer of photovoltaic units (3) is present between the VAREM layer (4) and the sunlight-transmitting plate (2).

Claim 5 (original): The use according to claim 4, characterized in that the layer of photovoltaic units (3) abuts against the VAREM layer (4).

Claim 6 (original): The use according to claim 1, characterized in that the device comprises a first sunlight-transmitting plate (2), a second sunlight-transmitting plate (11) and a thermally insulating carrier (7) as the carrier plate, said plates being spaced a respective distance apart, wherein the space (8) formed by the second sunlight-transmitting plate (11) and the thermally insulating carrier (7) is divided into two separate subspaces by a layer of photovoltaic units (3), with a heat transferring medium being present in each subspace and the VAREM layer (4) being present in the subspace formed by the layer of photovoltaic units (3) and the thermally insulating carrier (7).

Claim 7 (original): The use according to claim 6, characterized in that the VAREM layer (4) abuts against the thermally insulating layer (7).

Claim 8 (original): The use according to claim 6, characterized in that the VAREM layer (4) abuts against the layer of photovoltaic units (3).

Claim 9 (original): The use according to claim 1, characterized in that the device comprises a sunlight-transmitting plate (2) and a thermally insulating carrier (7), which is spaced

therefrom by some distance, as the carrier plate, wherein a VAREM layer (4) abutting against the carrier (7) is positioned between said plate (2) and said carrier (7), on which VAREM layer (4) a layer of photovoltaic units (3) is present, with a heat-transferring medium being present in the space between the sunlight transmitting plate (2) and the layer of photovoltaic units (3).

Claim 10 (currently amended): The use according to ~~any one or more of the preceding claims 2—9~~ claim 2, characterized in that the sunlight-transmitting plate (2, 11) also transmits infrared radiation.

Claim 11 (original): The use according to claim 1, characterized in that the VAREM layer (4) is present on a Trombe wall.

Claim 12 (currently amended): The use according to ~~any one or more of the preceding claims 1—11~~ claim 1, characterized in that the VAREM layer (4) is built up of, in succession, a metal alloy, a solid electrolyte and an electrode, which VAREM layer (4) is enveloped by a closed hydrogen atmosphere, wherein the hydrogen concentration of the metal alloy is controlled by applying an electric voltage between the electrode and the metal alloy.

Claim 13 (currently amended): The use according to ~~any one or more of the preceding claims 1—11~~ claim 1, characterized in that the VAREM layer (4) is built up of, in succession, a metal alloy, a solid electrolyte, a storage electrode, a top electrode, and a hydrogen-

Preliminary Amendment
Filed: September 29, 2004
Sughrue Ref: Q83885

impermeable layer, wherein the hydrogen concentration of the metal alloy is controlled by applying an electric voltage between the electrode and the metal alloy.

Claim 14 (currently amended): The use according to ~~claims 12—13~~ claim 12, characterized in that said electric voltage is generated by using a photocell.

Claim 15 (currently amended): The use according to ~~claims 12—13~~ claim 12, characterized in that the metal alloy is selected from an alloy of Mg and a transition metal, such as Ni, Co, Fe.

Claim 16 (currently amended): The use according to ~~claims 12—13~~ claim 12, characterized in that the solid electrolyte is selected from the group consisting of ZrO_2 and Y:CaF_2 .

Claim 17 (original): The use according to claim 13, characterized in that the storage electrode consists of WO_3 .

Claim 18 (original): The use according to claim 13, characterized in that either ZrO_2 or yttrium oxide is used for the hydrogen-impermeable layer.

Preliminary Amendment
Filed: September 29, 2004
Sughrue Ref: Q83885

Claim 19 (original): The use according to claim 13, characterized in that the storage electrode and the top electrode form one unit obtained from transition metals such as V, Nb, Ta and Pd.